

PET FRIENDLY SHELTER FACILITY SURVEY



| | | |
|--|---|--|
| Completed by | Facility Name/ Affiliated Org. /Owner | Date |
| Address | | Lat: Lon: |
| Contact 1 Authorize use or open | Phone 1* Phone 2 | H W C H W C |
| Contact 2 Authorize use or open | Phone 1 Phone 2 | H W C H W C |
| Times facility not available? Yes No | Provide details of facility limitations to availability by dates or times or area | |
| MOU signed with local DART or SMART to use facility? Yes No | Directions to facility/ from nearest crossroads and evacuation route | |
| Parking | Areas of facility not open to shelter use | |
| Local Gas/Food/Supplies | Directions | |
| Local Veterinarian | Directions | |
| Nearest Human Hospital | Directions | |
| Associated Human Shelter Location | Address | |
| Operated by | Facility Name | Lat: Lon: |
| Contact 1 | Phone 1 Phone 2 | H W C H W C |
| Contact 2 | Phone 1 Phone 2 | H W C H W C |
| Animal Shelter Details/Capacity *** | Dogs # Rooms _____ Sizes _____ Space for _____ Lg and XLG wire crates | Cats # Rooms _____ Size _____ Space # _____ M Carrier/crates |
| Exotics Room size _____ Heat source Yes No | Heating and Cooling Capacity if power Available. | Ventilation/ Screened Windows (weather permitting) Yes No |
| Fans necessary? Electrical outlets? Yes No Yes No | Animal safe walk area inside? Yes No | Animal safe fence for walking outside? Yes No |
| Controlled Exits and entrance? Yes No | Adequate lighting? Yes No | Hurricane proof windows? Yes No |

*H W C: Home Work Cell **Add description, longitude and latitude when possible

*** See page 3 for capacity info

| | | |
|--|--|--------------------------------------|
| Fire alarms +/or sprinkler system working ? Yes No | Fire Alarms manual / automatic alert | Nearest fire station |
| Emergency generator on site? Yes No | Generator Type | Fuel source _____ Auto/Manual start? |
| Capacity in Kilowatts _____ | Date last inspected _____ | Run time _____ |
| Facility is not in FEMA flood zone <input type="checkbox"/> | Facility is _____ levels with stair access. Pets will occupy one level or several levels? | |
| Areas for review Please add description | Safe entry, exit and waiting area for pet owners during intake | |
| Safe entry and exit for owners while feeding pets | Safe entry and exit for owners while walking dogs | |
| Intake and registration | Toilets available to volunteers or portable toilets needed | |
| Veterinary triage | Veterinary Treatment | |
| General animal population Dogs | General animal population Cats | |
| General animal population Exotics | Special population unvaccinated | |
| Special population quarantine bite or sick | Special population isolation sick | |
| Dangerous dog area for crates | Crate Cleaning area | |
| Animal Food prep and cleaning | Laundry Facilities available? Coin operated? | |
| Animal food storage | Potable water source | |
| General Supply storage | Non Potable water source | |
| Shower facilities | Hot water availability | |
| Human food storage and eating area | Kitchen | |
| Garden hose hookup | Animal waste storage | |
| Utilities | Electric company | Contact info |
| Water company or municipal source | Contact info | |
| Gas or propane company | Contact info | |

| | |
|--|---|
| Oil company | Contact info |
| Landline Telephone Company | Cell phone coverage outside? Inside building? |
| Facility Telephone number | |
| Internet Ethernet access Wifi access? | Contact info for access to Wifi or Ethernet |
| Password word availability? | |
| | |

Please use space below to diagram facility, parking, room measurements if available and any notable features.

Exotics will need space for Small enclosures 24"x18' but may also require a L size carrier or crate.

Cats- Medium crates/carriers sizes are approx. 30 "L X 22"W (4.5 sq ft) **Allow 4-6 sq ft /cat**

Dogs- Large crates are approx. 42"L X 28"W (8 sq ft) XLarge crates are 48"L X 30"W (10 sq ft) **Allow 10-12 sq**

ft/dog by leaving 6 inches between each L or XL crate. A 75'X8' hallway would allow 25 crates with a 4' area in front.

SMART thanks Central MA DART and Western Region Homeland Security Advisory Council for their input.

163 Lakeside Avenue, Marlborough, MA 01752

www.smartma.org

info@smartma.org